

XT 3.78 C5

EAN 3499231002995



PRODUCT ADVANTAGES

HONDA Professional Engine
 Easy access to the turbine (without tools)
 Automatic priming
 Resistant pump-barrel
 Offers accessories
 STAGE V (2016/1628 EU) : This product is compliant with regulation for implementing requirements relating to gaseous and pollutant emission limits in Europe

Range

AQUALINE SPECIALIST
 High performance under extreme conditions.

	Fuel	Petrol
Granulometry (mm)		27
Type liquid		Extremely heavily sedimented water pump
Lifting height (m)		27
Outflow maximum (m3/h)		80,4
75% Autonomy (h)		2,6
Sound power level guaranteed LwA dB(A)		110
Dimensions L x W x H (cm) Weight (kg)		69 x 52 x 53,2 58

XT 3.78 C5 - WATER PUMP - AQUALINE SPECIALIST - 6 février 2026

portable.rehiko.com

SDMO Industries - 270 rue de Kerervern - CS 40047 - 29801 Brest cedex 9 – France

This document is not contractual - The SDMO company reserves the right to modify any of the characteristics stated in this document without notice, in a constant effort to improve the quality of its products. *ISO 8528.



SDMO Industries
 accredited testing laboratory ISO 17025
 n°1-2171
 scope available on www.cofrac.fr





GENERAL SPECIFICATIONS

Range	AQUALINE SPECIALIST
Type liquid	Extremely heavily sedimented v pump
Suction diameter [mm]	76
Backflow diameter (mm)	76
Outflow maximum (m3/h)	80,4
Outflow maximum (L/min)	1340
Lifting height (m)	27
Suction height (m)	8
Granulometry (mm)	27
Automatic priming	Oui
Fuel	Petrol
Tank (L)	5,3
75% cons. (l/h)	2
75% Autonomy (h)	2,6
Sound power level guaranteed LwA dB(A)	110
Acoustic pressure level @1m in dB(A)	94
Acoustic pressure level @7m in dB(A)	80



ENGINE SPECIFICATIONS

Engine brand	HONDA
Engine ref.	GX240_C5
Start	Starter
Oil shutdown	Oui
Displacement (cm3)	242
Oil system capacity including filters (l)	1,1



DIMENSIONS AND WEIGHT

Length (cm)	69
Width (cm)	52
Height (cm)	53,2
Dry Weight (kg)	58



PACKAGING

Packaging type	Box
Length (cm)	72
Width (cm)	52
Height (cm)	58
Weight (kg)	68,5
Pallet type	120/80
Number of box by pallet	4
Pallet height (cm)	129
weight of the packaged Pallet (kg)	284

ACCESSORIES SUPPLIED



Inlet filter
Circlips
Screw-on connectors
User and maintenance manual

Additional equipment



3499231921463

RKS13 - Maintenance kit for ST 2.38 / ST 3.60/ TR 2.35 / TR 2.60 / HP 2.26 / XT 3.78 including oil, spark plug and air filter



3499231036006

GENLUB 15W40 1L - Oil can 1L (15W40) for INVERTER / PERFORM / PERFORM XL / HX / TECHNIC 6500 - 7500 / DIESEL 4000 / WELDARC 200 / VX 200/4 / AQUALINE



3499231035009

GENLUB 15W40 0.5L - Oil can 0.5L (15W40) for INVERTER / PERFORM / PERFORM XL / HX / TECHNIC 6500 - 7500 / DIESEL 4000 / WELDARC 200 / VX 200/4 / AQUALINE



RHO

RHO - Protective cover for HX 3000 / HXC 3000 / PERFORM 3000 - 3000 XL / PRESTIGE 3000 / ST 2,36 - 3,60 / TR 2,36 - 3,60 / HP 2,26 / XT 3,78 ; Dimensions : 70 x 45 x 50 cm



R12

R12 - Piping kit for 3 inches water pumps made up of 5 m suction + 25 m lift



R14

R14 - Rapid connections kit for 3 inches water pumps
