

PRESTIGE 3000 C5

EAN 3499231003749



PRODUCT ADVANTAGES

Generating set guaranteed 3 years
 KOHLER air-cooled industrial engine
 Large Autonomy
 Soundproofing and against shocks panels
 Solid and high-performance equipment
 STAGE V (2016/1628 EU) : This product is compliant with regulation for implementing requirements relating to gaseous and pollutant emission limits in Europe

Range

PRESTIGE

Top of the range equipment that is efficient and with low noise emissions, for a wide range of standard requirements.

Fuel Petrol

Nominal voltage (V) | Number of Phase 230 | Single phase

Max power (kW) 2,8 kW

75% Autonomy (h) 9,2

Sound power level guaranteed LwA dB(A) 94

Dimensions L x W x H (cm) | Weight (kg) 57 x 47 x 46 | 50



PRESTIGE 3000 C5 - GENERATING SET - PRESTIGE - 6 février 2026

portable.rehlko.com

SDMO Industries - 270 rue de Kerervern - CS 40047 - 29801 Brest cedex 9 – France

This document is not contractual - The SDMO company reserves the right to modify any of the characteristics stated in this document without notice, in a constant effort to improve the quality of its products. *ISO 8528.



SDMO Industries
 accredited testing laboratory ISO 17025
 n°1-2171
 scope available on www.cofrac.fr





GENERAL SPECIFICATIONS

Range	PRESTIGE
Frequency (Hz)	50 Hz
Max power (kW)	2,8
Nominal voltage (V)	230
Number of Phase	Single phase
Assigned current (A)	10,4
Fuel	Petrol
Tank (L)	12
75% cons. (l/h)	1,3
75% Autonomy (h)	9,2
Sound power level guaranteed LwA dB(A)	94
Acoustic pressure level @1m in dB(A)	79
Acoustic pressure level @7m in dB(A)	65



ENGINE SPECIFICATIONS

Engine brand	REHLKO
Engine ref.	CH270_C5
Start	Starter
Oil shutdown	Oui
Displacement (cm3)	208
Oil system capacity including filters (l)	0,6



ALTERNATOR SPECIFICATION

Technology	Brushless
AVR Regulation	No
Indication of protection	IP 23
Insulation class	H



PLUGS AND PANEL DESCRIPTIVE

2 230V 10/16A sockets - circuit breaker



DIMENSIONS AND WEIGHT

Length (cm)	57
Width (cm)	47
Height (cm)	46
Dry Weight (kg)	50



PACKAGING

Packaging type	Box
Length (cm)	58
Width (cm)	47
Height (cm)	47
Weight (kg)	52
Pallet type	140/110
Number of box by pallet	15
Pallet height (cm)	154
weight of the packaged Pallet (kg)	796

ACCESSORIES SUPPLIED



User and maintenance manual

Additional equipment



R05M

R05M - Manual transfert switch for connecting a single-phase generator to a house



R06

R06 - Trolley kit for HX 3000 / HXC 3000 / PRESTIGE 3000 ; Puncture-proof wheels Ø 187 mm

3499231001516

R30 - Maintenance kit for PRESTIGE 3000 including oil, spark plug and air filter



RHO

RHO - Protective cover for HX 3000 / HXC 3000 / PERFORM 3000 - 3000 XL / PRESTIGE 3000 / ST 2,36 - 3,60 / TR 2,36 - 3,60 / HP 2,26 / XT 3,78 ; Dimensions : 70 x 45 x 50 cm



RPM

RPM - Plug kit for all models: 2 x 16A /230V sockets, 1 x CEE17 16A/230V socket, 1 x 32A/230V socket, 1 x 16A/400V socket



RPQ

RPQ - 1m earth spike, supplied with 2m 10mm² mains cable



RKD1

RKD1 - Kit of 2 removable differential adaptors for domestic sockets 16A
