

TRASH 3 C5

EAN 3499231003787



PRODUCT ADVANTAGES

KOHLER air-cooled industrial engine
 Resistant pump-barrel
 Automatic priming
 Easy access to the turbine
 Offers accessories
 STAGE V (2016/1628 EU) : This product is compliant with regulation for implementing requirements relating to gaseous and pollutant emission limits in Europe

Range

AQUALINE SPECIALIST
 High performance under extreme conditions.

	Fuel Diesel Fuel
Granulometry (mm)	20
Type liquid	Extremely heavily sedimented water pump
Lifting height (m)	25
Outflow maximum (m3/h)	65
75% Autonomy (h)	3,1
Sound power level guaranteed LwA dB(A)	110
Dimensions L x W x H (cm) Weight (kg)	71,5 x 58 x 59 82,5



Attested NB 3065



Compatible

TRASH 3 C5 - WATER PUMP - AQUALINE SPECIALIST - 6 février 2026

portable.rehiko.com

SDMO Industries - 270 rue de Kerervern - CS 40047 - 29801 Brest cedex 9 – France

This document is not contractual - The SDMO company reserves the right to modify any of the characteristics stated in this document without notice, in a constant effort to improve the quality of its products. *ISO 8528.



SDMO Industries
 accredited testing laboratory ISO 17025
 n°1-2171
 scope available on www.cofrac.fr





GENERAL SPECIFICATIONS

Range	AQUALINE SPECIALIST
Type liquid	Extremely heavily sedimented v pump
Suction diameter [mm]	76
Backflow diameter (mm)	76
Outflow maximum (m3/h)	65
Outflow maximum (L/min)	1083,33
Lifting height (m)	25
Suction height (m)	8
Granulometry (mm)	20
Automatic priming	Oui
Fuel	Diesel Fuel
Tank (L)	4,3
75% cons. (l/h)	1,4
75% Autonomy (h)	3,1
Sound power level guaranteed LwA dB(A)	110
Acoustic pressure level @1m in dB(A)	95
Acoustic pressure level @7m in dB(A)	81



ENGINE SPECIFICATIONS

Engine brand	REHLKO
Engine ref.	KD350_C5
Start	Starter
Oil shutdown	Non
Displacement (cm3)	349
Oil system capacity including filters (l)	1,2



DIMENSIONS AND WEIGHT

Length (cm)	71,5
Width (cm)	58
Height (cm)	59
Dry Weight (kg)	82,5



PACKAGING

Packaging type	Box
Length (cm)	73
Width (cm)	58
Height (cm)	59,5
Weight (kg)	79
Pallet type	120/80
Number of box by pallet	4
Pallet height (cm)	132
weight of the packaged Pallet (kg)	326

ACCESSORIES SUPPLIED



Inlet filter
Circlips
Fast connections
User and maintenance manual

Additional equipment



RKB2

RKB2 - Trolley kit for HX 4000 - 6000 – 7500T / HXC 4000 - 6000 – 7500T / TECHNIC 10000 -15000 / VX 200/4 -220-7,5 / WELDARC 300 / TRASH ; Puncture-proof wheels Ø 290 mm



3499231001745

RKDS1 - Maintenance kit for DIESEL 4000 / TRASH 3 / TRASH 4 including oil filter, fuel filter and air filter



RH1

RH1 - Protective cover for HX 4000 – 6000 – 7500T / HXC 4000 – 6000 – 7500T / PERFORM 4500 – 4500 XL – 5500T – 5500 T XL – 6500 – 6500 XL – 7500 T – 7500 XL / TECHNIC 6500 – 7500 TE / DIESEL / TRASH ; Dimensions : 82 x 58 x 50 cm



R12

R12 - Piping kit for 3 inches water pumps made up of 5 m suction + 25 m lift
